

Varroa per 100 bees

		May	Jun	Jul	Aug	Sep	Oct	Colony Source	Last Treatment
Androscoggin	SBEB-1			3.9					
	SBEB-2								
	SBEB-3			0.0					
	SBEB-4			0.4					
Cumberland	SBEA-1	0.0	0.8	0.5	0.4	2.6			
	SBEA-2	1.1	0.0	0.0	0.0	3.1			
	SBEA-3		0.0	0.0	0.0	3.6			
	SBEA-4	0.0	0.8	1.2	2.4	6.0			
Hancock	SBDO-1		0.0	0.0	1.4				
	SBDO-2		0.0	0.0	2.2				
	SBDO-3		0.0	0.0	0.0				
	SBDO-4		0.0	0.3	2.3				
Kennebec	SBDZ-1	0.0							
	SBDZ-2	0.6							
	SBDZ-3	0.0							
	SBDZ-4	0.0							
Knox	SBED-1	0.0	0.9	1.0	2.2				
	SBED-2	0.0		0.0	0.7				
	SBED-3	0.0	0.0	0.0	1.2				
	SBED-4	0.0	0.0	0.0	2.1				
Lincoln	SBBA-1		0.0	0.0					
	SBBA-2		0.5	0.0					
	SBBA-3		0.0	0.0					
	SBBA-4		0.0	0.0					
	SBDX-1		0.0	0.0	0.4	0.0			

SBDX-2	0.5	0.0	0.0	0.4
SBDX-3	0.0	0.0	1.3	1.4
SBDX-4	0.0	0.0	0.4	0.0

Waldo	SBDP-1	2.0	1.0
	SBDP-2	3.5	2.8
	SBDP-3	1.8	11.0
	SBDP-4	0.0	0.0

Washington	SBDL-1	1.1	1.4	0.0	
	SDBL-2	0.0	0.0	0.5	0.0
	SDBL-3	1.6	0.6	0.6	0.0
	SDBL-4	0.0	0.0	0.0	0.0

PKg 7/29 Apiguard
 Over Wint 7/30 Formic Pro -2 strip
 Pkg 7/30 Formic Pro -2 strip
 Over Wint 7/30 Formic Pro -2 strip

York	SBEF-1	0.0	0.0		0.0
	SBEF-2	0.0	0.0	0.0	0.5
	SBEF-3	0.0	0.0	0.0	0.0
	SBEF-4	0.0	0.0	0.0	0.3

Acceptable Low	0.0	0.0	0.0	0.0	0.0	0.0
Acceptable High	0.9	0.9	0.9	1.9	1.9	1.9
Caution Low	1.0	1.0	1.0	2.0	2.0	2.0
Caution High	1.9	1.9	1.9	2.9	2.0	2.0
Danger Low	2.0	2.0	2.0	3.0	2.1	2.1
Danger High	99.9	99.9	99.9	99.9	99.9	99.9

Background shows limits established by The Honey Bee Health Coalition

Nosema Spores per bee

May Jun Jul Aug Sep Oct Colony Source Last Treatment

Androscoggin	SBEB-1
	SBEB-2
	SBEB-3
	SBEB-4

Cumberland	SBEA-1	4.30	6.50		
	SBEA-2	1.40	1.20		
	SBEA-3		0.70		
	SBEA-4	4.20	0.35		
Hancock	SBDO-1		3.60	0.15	
	SBDO-2		2.60	0.00	
	SBDO-3		4.00	0.05	
	SBDO-4		6.15	0.05	
Kennebec	SBDZ-1				
	SBDZ-2				
	SBDZ-3				
	SBDZ-4				
Knox	SBED-1	0.65			
	SBED-2	0.20			
	SBED-3	6.90			
	SBED-4	5.00			
Lincoln	SBBA-1		0.30	3.45	
	SBBA-2		0.05	0.05	
	SBBA-3		0.10	0.30	
	SBBA-4		0.50	5.50	
	SBDX-1		0.30	3.50	0.70
	SBDX-2		0.10	0.10	0.80
	SBDX-3		0.10	0.30	0.00
	SBDX-4		0.50	5.50	1.90
Waldo	SBDP-1	0.00	1.35		
	SBDP-2	0.45	0.55		

	SBDP-3	0.10	0.40	
	SBDP-4	0.20	0.25	
Washington	SBDL-1	1.40	0.30	
	SDBL-2	1.35	0.00	
	SDBL-3	2.85	0.05	
	SDBL-4	2.30	0.10	
York	SBEF-1	0.25	0.00	
	SBEF-2	1.85	1.55	0.05
	SBEF-3	3.15	2.05	0.25
	SBEF-4	0.95	0.00	0.30